



aryan

FLOORING COLLECTION



ENGINEERED . LAMINATED . SPC



aryan

WE KNOW WOOD

Drawing from over three decades of experience in the industry, Group Aryan's strength is an intimate knowledge of wood based products, serving the focussed needs of Indian homes and commercial spaces.

As partners to leaders in various products, for both interiors and outdoors, Group Aryan has a well-established reputation for high-quality, consistent service standards, and a constantly evolving product range - ensuring that the Indian market always gets the best.

OUR BRANDS



Engineered Wooden Flooring Exo Engineered Wood Flooring SPC

With a wood based legacy from 1890, Bekker comes from the Meyer Parkett tradition of craftsmanship, technique and innovation. Bekker planks are produced at state-of-the-art factories in Austria, using materials and processes that are industry benchmarks. Alongside Engineered and Laminated floors, the new Bekker SPC collection is a next generation, waterproof technology that uses Stone Plastic Composite flooring.



Engineered Hardwood Flooring

BOEN's legacy goes back to 1641, originally starting with two sawmills by the waterfall Boen – in Norway. This heritage of experience and craftsmanship, driven by a bold, innovative and creative vision, ensures products that are unique in the industry, always in tune with the rapidly changing world of interior design. BOEN hardwood floors are found in more than 50 countries.



Pure Wood Flooring

Experience FLOORganic XPT - the revolutionary flooring line that amazes with recyclable impact sound insulation, extreme moisture resistance and impressive sustainability. Thanks to our Xtended Performance Technology (XPT), it is impressively waterproof for 100h+. And best of all: with around 90% wood content, these floors are more sustainable than ever before.



Bekker Engineered Wood Flooring

Origins 1890, Austria

Distinctive collection with high quality woods sourced from renewable forests
Lacquered or oiled surfaces for easy maintenance and durability

25

Year Residential Warranty

5Gc click system for easy installation

Suited for under-floor heating

Convenient refreshing with surface sanding and oiling

High-quality engineered surface
Oiled or lacquered



Oak Peanut Butter

Decor Code **BKE003**

Series **Natur**
Grade **Moda**
Thickness **10/2.5 MM**
Plank Type **Plank**
Surface **Matt Lacquered**

1092 x 207 x 10/2.5



Ash Cafe Noir

Decor Code **BKE005**

Series **Natur**
Grade **Castle**
Thickness **14/2.5 MM**
Plank Type **Plank**
Bevel **Beveled 4V**
Surface **Oiled; Brushed**

2200 x 180 x 14/2.5





Oak Smokey Grey

Decor Code **BKE010**

Series **Allure**
 Grade **Antique**
 Thickness **14/2.5 MM**
 Plank Type **Plank**
 Bevel **Beveled 4V**
 Surface **Matt Lacquered; Brushed**

2200 x 180 x 14/2.5



Oak Ginger Herringbone

Decor Code **BKE007H**

Series **Arcadia**
 Grade **Castle**
 Thickness **14/2.5 MM**
 Plank Type **Herringbone**
 Bevel **Mirco Beveled 4V**
 Surface **Matt Lacquered; Brushed**

660 x 110 x 14/2.5



Oak Gingerbread

Decor Code **BKE009**

Series **Arcadia**
 Grade **Finessa**
 Thickness **14/2.5 MM**
 Plank Type **Plank**
 Bevel **Beveled 4V**
 Surface **Matt Lacquered; Brushed**

2200 x 180 x 14/2.5



Oak Champagne Herringbone

Decor Code **BKE048H**

Series **Heritage**
 Grade **Finessa**
 Thickness **14/2.5 MM**
 Plank Type **Herringbone**
 Bevel **Mirco Beveled 4V**
 Surface **Oiled; Brushed**

660 x 110 x 14/2.5





YOUR STYLE · YOUR FLOOR

Boen Engineered Hardwood Flooring

Origins 1641, Norway

Made for Generations

3 unique protective surface treatments - Live Natural Oil, Live Pure Lacquer and Live Matt Lacquer

25

Year Residential
Warranty

5

Year Commercial
Warranty

5G Click System - locking technology for easy, effective and quick installation
Easy to maintain naturally against deep scratches, with re-sealing or oiling

Produced with high environmental standards



Made of 3 Layers, with the bottom and middle layers made of spruce

Top layer

Middle layer

Bottom layer



Oak Coral
Decor Code **BOE007**

Series **Nordic Rustic**
Grade **Animoso**
Thickness **14/3.5 MM**
Plank Type **Plank**
Bevel **Beveled 2V**
Surface **Live Natural Oil; Unbrushed**

2200 x 138 x 14/3.5



Oak Warm Grey
Decor Code **BOE005**

Series **Rustic Classic Urban**
Grade **Animoso**
Thickness **14/3.5 MM**
Plank Type **Plank**
Bevel **Beveled 2V**
Surface **Live Pure Lacquer; Brushed**

2200 x 138 x 14/3.5





Oak Toscana
Decor Code **BOE012**

Series **Style Classic**
Grade **Concerto**
Thickness **13/2.5 MM**
Plank Type **Plank**
Bevel **Beveled 2V**
Surface **Live Satin Lacquer**

2200 x 138 x 13.2/2.7



Oak Embassy
Decor Code **BOE003**

Series **Nordic Classic**
Grade **Animoso**
Thickness **14/3.5 MM**
Plank Type **Plank**
Bevel **Beveled 2V**
Surface **Live Matt Lacquer; Unbrushed**

2200 x 138 x 14/3.5



Oak Oregon
Decor Code **BOE009**

Series **Classic**
Grade **Concerto**
Thickness **14/3.5 MM**
Plank Type **Plank**
Surface **Live Satin Lacquer; Unbrushed; Square Edge**

2200 x 138 x 14/3.5



BEKKER EXO

Bekker Exo Engineered Wood Flooring

Origins 1890, Vietnam

Special collection of curated woods

UV-coated and lacquered treatment for longevity

25

Years Warranty

Barlock 5Gc system for fast and easy installation

Quality rejuvenation with surface sanding and oiling



American Walnut Red

Decor Code **BKEx095**

Grade **Moda**

Thickness **12/2 MM**

Plank Type **Plank**

Surface **UV Coated & Lacquered**

910 x 125 x 12/2



American Walnut Natural Sliced

Decor Code **BKEx094S**

Grade **Moda**

Thickness **12/2 MM**

Plank Type **Plank**

Surface **UV Coated & Lacquered**

910 x 125 x 12/2

Bekker Engineered

Boen Engineered

Bekker Exo

Kaindl Pure Wood

Bekker SPC

Kaindl Laminate



American Walnut Natural

Decor Code **BKEx104-H**

Grade **Moda**
 Thickness **12/2 MM**
 Plank Type **Herringbone**
 Surface **UV Coated & Lacquered**

600 x 90 x 12/2




Kaya KuKu

Decor Code **BKEx090**

Grade **Finessa**
 Thickness **12/2 MM**
 Plank Type **Plank**
 Surface **UV Coated & Lacquered**

1200 x 125 x 12/2



Teak

Decor Code **BKEx091**

Grade **Finessa**
 Thickness **12/2 MM**
 Plank Type **Plank**
 Surface **UV Coated & Lacquered**

910 x 122 x 12/2



Bekker Engineered

Boen Engineered

Bekker Exo

Kaindl Pure Wood

Bekker SPC

Kaindl Laminate

Bekker Engineered

Boen Engineered

Bekker Exo

Kaindl Pure Wood

Bekker SPC

Kaindl Laminate



Kaindl Pure Wood Flooring

Wear resistant multilayer UV-coating

1. Colored
2. Digital printing with lightfast UV-ink

Real Oak veneer approx. 0.6 mm

Soft bevel UV-coated

AQUapro HDF core

Real wood veneer balancer approx. 0.6 mm

Real wood

Waterproof*

Scratch resistant

PVC free

Eco-friendly

20 YEARS
GUARANTEE
in accordance with warranty conditions

Guarantee

Utility Class

Oak Noble Harvest

Decor Code **67255**

Series **Aqua Pro Wood**

Grade **AC4**

Thickness **8.5/0.6 mm**

Plank Type **Narrow**

Surface **Veneer**

1383 x 159 x 8.5 /0.6



Oak Noble Ivory

Decor Code **67470**

Series **Aqua Pro Wood**

Grade **AC4**

Thickness **8.5/0.6 mm**

Plank Type **Narrow**

Surface **Veneer**

1383 x 159 x 8.5 /0.6





Oak Noble Maroon

Decor Code **67483**

Series **Aqua Pro Wood**
 Grade **AC4**
 Thickness **8.5/0.6 mm**
 Plank Type **Narrow**
 Surface **Veneer**

1383 x 159 x 8.5 /0.6



Oak Noble Sepia

Decor Code **67267**

Series **Aqua Pro Wood**
 Grade **AC4**
 Thickness **8.5/0.6 mm**
 Plank Type **Narrow**
 Surface **Veneer**

1383 x 159 x 8.5 /0.6



Oak Noble Pure

Decor Code **67290**

Series **Aqua Pro Wood**
 Grade **AC4**
 Thickness **8.5/0.6 mm**
 Plank Type **Narrow**
 Surface **Veneer**

1383 x 159 x 8.5 /0.6



Oak Noble Stone

Decor Code **67276**

Series **Aqua Pro Wood**
 Grade **AC4**
 Thickness **8.5/0.6 mm**
 Plank Type **Narrow**
 Surface **Veneer**

1383 x 159 x 8.5 /0.6



Bekker Engineered
 Boen Engineered
 Bekker Exo
 Kaindl Pure Wood
 Bekker SPC
 Kaindl Laminate

Bekker Engineered
 Boen Engineered
 Bekker Exo
 Kaindl Pure Wood
 Bekker SPC
 Kaindl Laminate



Oak Baru Novillo

Decor Code **67262**

Series **Aqua Pro Wood**
Grade **AC4**
Thickness **8.5/0.6 mm**
Plank Type **Wide**
Surface **Veneer**

1383 x 244 x 8.5/0.6



Oak Bradford

Decor Code **67238**

Series **Aqua Pro Wood**
Grade **AC4**
Thickness **8.5/0.6 mm**
Plank Type **Wide**
Surface **Veneer**

1383 x 244 x 8.5/0.6



Oak Baru Valdivia

Decor Code **67205**

Series **Aqua Pro Wood**
Grade **AC4**
Thickness **8.5/0.6 mm**
Plank Type **Wide**
Surface **Veneer**

1383 x 244 x 8.5/0.6



Oak Brighton

Decor Code **67263**

Series **Aqua Pro Wood**
Grade **AC4**
Thickness **8.5/0.6 mm**
Plank Type **Narrow**
Surface **Veneer**

1383 x 244 x 8.5/0.6





Oak Sunderland

Decor Code **67362**

Series **Aqua Pro Wood**

Grade **AC4**

Thickness **8.5/0.6 mm**

Plank Type **Wide**

Surface **Veneer**

1383 x 244 x 8.5/0.6




Stone Plastic Composite Flooring

Origins 1890, Austria

- Waterproof surface technology
- Protection against scratches, spills and UV
- 5Gc Click Lock system and easy click installation
- Anti-bacterial and phthalate free
- Acoustic properties, optimal sound insulation
- Feels warm underfoot, can be sub-surface heated
- High-quality build and easy maintenance, ideal for high-traffic commercial applications

Leading quality certifications





Cafe Au Lait
Decor Code **BKSW445-3**

Series **Wood Grain**
Grade **0.5 Wear Layer**
Thickness **6.5 (5+1.5 IXPE)**
Plank Type **Regular**
Surface **Texture**

1220 x 182 x 6.5 (5+1.5 IXPE)



Gainsboro
Decor Code **BKSW413**

Series **Wood Grain**
Grade **0.5 Wear Layer**
Thickness **6.5 (5+1.5 IXPE)**
Plank Type **Regular**
Surface **Texture**


1220 x 182 x 6.5 (5+1.5 IXPE)



Russet
Decor Code **BKSW445-4**

Series **Wood Grain**
Grade **0.5 Wear Layer**
Thickness **6.5 (5+1.5 IXPE)**
Plank Type **Regular**
Surface **Texture**

1220 x 182 x 6.5 (5+1.5 IXPE)



Sepia
Decor Code **BKSW041**

Series **Wood Grain**
Grade **0.5 Wear Layer**
Thickness **6.5 (5+1.5 IXPE)**
Plank Type **Regular**
Surface **Texture**

1220 x 182 x 6.5 (5+1.5 IXPE)



Butter Toast
Decor Code **BKSW416**

Series **Wood Grain**
Grade **0.5 Wear Layer**
Thickness **6.5 (5+1.5 IXPE)**
Plank Type **Regular**
Surface **Texture**

1220 x 182 x 6.5 (5+1.5 IXPE)



Burnt Almond
Decor Code **BKSH501**

Series **Wood Grain**
Grade **0.5 Wear Layer**
Thickness **6.5 (5+1.5 IXPE)**
Plank Type **Herringbone**
Surface **Texture**

660 x 126 x 6.5 (5+1.5 IXPE)



Carbon
Decor Code **BKSW1205**

Series **Wood Grain**
Grade **0.5 Wear Layer**
Thickness **6.5 (5+1.5 IXPE)**
Plank Type **Regular**
Surface **Texture**


1220 x 182 x 6.5 (5+1.5 IXPE)



Deep Taupe
Decor Code **BKSH504**

Series **Wood Grain**
Grade **0.5 Wear Layer**
Thickness **6.5 (5+1.5 IXPE)**
Plank Type **Herringbone**
Surface **Texture**

660 x 126 x 6.5 (5+1.5 IXPE)





Tortilla
 Decor Code **BKSE955**

Series **EIR**
 Grade **.7 Wear Layer**
 Thickness **9.5 mm (7.5+2 IXPE) .7mm**
 Plank Type **Large**
 Surface **Texture**

1800 mm x 228 mm x 9.5 mm (7.5+2 IXPE) .7mm



Maple Sugar
 Decor Code **BKSE95 I**

Series **EIR**
 Grade **.7 Wear Layer**
 Thickness **9.5 mm (7.5+2 IXPE) .7mm**
 Plank Type **Large**
 Surface **Texture**

1800 mm x 228 mm x 9.5 mm (7.5+2 IXPE) .7mm



Kaindl Laminate Flooring

Wear resistant overlay with CLASSIC TOUCH surface

Decorative paper

Sealed bevel

HDF Optima core


Balancer


 Best Value


 Highly variable


 Authentic wood look


 Eco-friendly


30 YEARS
 KAINDL GUARANTEE
 Guarantee


 Utility Class



Oak Alnwick
Decor Code **32744**

Series **Natural Touch**
Grade **AC5**
Thickness **8 mm**
Plank Type **Herringbone**
Surface **HO Houston**

630 x 126 x 8



Oak Edinburgh
Decor Code **32675**

Series **Natural Touch**
Grade **AC5**
Thickness **8 mm**
Plank Type **Herringbone**
Surface **RO Rochester Oak**

630 x 126 x 8



Oak Bamburgh
Decor Code **32742**

Series **Natural Touch**
Grade **AC5**
Thickness **8 mm**
Plank Type **Herringbone**
Surface **HO Houston**

630 x 126 x 8



Oak Harlech
Decor Code **32676**

Series **Natural Touch**
Grade **AC5**
Thickness **8 mm**
Plank Type **Herringbone**
Surface **CM Campbell**

630 x 126 x 8



Oak Raby

Decor Code **32745**

Series **Natural Touch**
Grade **AC5**
Thickness **8 mm**
Plank Type **Herringbone**
Surface **CM Campbell**

630 x 126 x 8



Oak Bari

Decor Code **34266**

Series **Classic Touch**
Grade **AC4**
Thickness **8 mm**
Plank Type **Standard**
Surface **AV Wire Brushed**

1383 x 193 x 8



Beech Swaran

Decor Code **K4368**

Series **Classic Touch**
Grade **AC4**
Thickness **8 mm**
Plank Type **Standard**
Surface **MO Matt Oiled**

1383 x 193 x 8



Oak Brera Nature

Decor Code **K2391**

Series **Classic Touch**
Grade **AC4**
Thickness **8 mm**
Plank Type **Standard**
Surface **EG Epic Grain**

1383 x 193 x 8



Oak Castilla Zamora

Decor Code **K2814**

Series **Classic Touch**
Grade **AC4**
Thickness **8 mm**
Plank Type **Herringbone**
Surface **EG Epic Grain**

1383 x 193 x 8



Oak Kansas Overland

Decor Code **K2782**

Series **Classic Touch**
Grade **AC4**
Thickness **8 mm**
Plank Type **Standard**
Surface **EG Epic Grain**

1383 x 193 x 8



Oak Chalet

Decor Code **K35252**

Series **Classic Touch**
Grade **AC4**
Thickness **8 mm**
Plank Type **Standard**
Surface **EG Epic Grain**

1383 x 193 x 8



Oak Kansas Topeka

Decor Code **K2595**

Series **Classic Touch**
Grade **AC4**
Thickness **8 mm**
Plank Type **Standard**
Surface **EG Epic Grain**

1383 x 193 x 8





Oak Michigan Detroit

Decor Code **K2591**

Series **Classic Touch**
Grade **AC4**
Thickness **8 mm**
Plank Type **Standard**
Surface **EG Epic Grain**

1383 x 193 x 8



Oak Petrona

Decor Code **37195**

Series **Classic Touch**
Grade **AC4**
Thickness **8 mm**
Plank Type **Standard**
Surface **AV Wire Brushed**

1383 x 193 x 8



Oak Michigan Kent

Decor Code **K2590**

Series **Classic Touch**
Grade **AC4**
Thickness **8 mm**
Plank Type **Standard**
Surface **EG Epic Grain**

1383 x 193 x 8



Oak Rosarno

Decor Code **37526**

Series **Classic Touch**
Grade **AC4**
Thickness **8 mm**
Plank Type **Standard**
Surface **AV Wire Brushed**

1383 x 193 x 8



Bekker Engineered

Boen Engineered

Bekker Exo

Kaindl Pure Wood

Bekker SPC

Kaindl Laminate

Bekker Engineered

Boen Engineered

Bekker Exo

Kaindl Pure Wood

Bekker SPC

Kaindl Laminate



Oak Severina Decor Code **37813**

Series **Classic Touch**
Grade **AC4**
Thickness **8 mm**
Plank Type **Standard**
Surface **MO Matt Oiled**


1383 x 193 x 8



Walnut Lago Decor Code **K2593**

Series **Classic Touch**
Grade **AC4**
Thickness **8 mm**
Plank Type **Standard**
Surface **EG Epic Grain**

1383 x 193 x 8





Group Aryan

(Aryan Wood Products Pvt. Ltd.)

26, Adi Kabir Ashram Road

Mothi Nagar, RT Nagar

Bangalore 560 032

hello@grouparyan.com

grouparyan.com